


Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS
PEPTAMEN JUNIOR VANILLA

Manufacture Date: July 19, 2016

Expiration Date: October 18, 2017

Batch Code: 6PJV4438

Case Code: 620157211D

| Evaluation | Units | Method | Analytical Result | Release Specifications | | Label /100mL |
|---|--------|---|-------------------|--|------|--------------|
| | | | | min | max | |
| Fat | g | Mojonnier | 3.9 | 3.0 | 4.6 | 3.8 |
| Protein | g | Kjeldahl | 3.0 | 2.4 | 3.6 | 3 |
| Total Solids | g/100g | Air Oven | 20.4 | 19.5 | 20.7 | - |
| Ash | g/100g | Furnace | 0.74 | - | - | - |
| Carbohydrate | g | Calculation | 14.0 | 11.2 | 16.8 | 14 |
| Calories | kcal | Calculation | 103.3 | 82 | 122 | 102 |
| Density | g/mL | Target 1.061 g/mL | 1.063 | - | - | - |
| Calcium | mg | ICP - AES | 108 | 90 | 134 | 112 |
| Potassium | mg | ICP - AES | 148 | 106 | 158 | 132 |
| Sodium | mg | ICP - AES | 50 | 37 | 55 | 46 |
| Magnesium | mg | ICP - AES | 20 | 16 | 24 | 20 |
| Phosphorus | mg | ICP - AES | 86 | 67 | 101 | 84 |
| Chloride | mg | Potentiometric | 115 | 86 | 130 | 108 |
| Iron | mg | ICP - AES | 2 | 1.1 | 2.0 | 1.4 |
| Vitamin A (Retinol) | IU | HPLC | 88 | 69.4 | 139 | 73 |
| Vitamin C | mg | HPLC | 29 | 12.0 | 40 | 10 |
| Organoleptic, Appearance, Flavor, Aroma | - | Visual / Sensory | Approved | Not significantly different than reference | | - |
| Microbiological | - | Incubation 30 C, 42 C & 55 C- (Plate count streak / pH) | Conform | Meets Nestec Sterility Assessment Release Norm | | - |

~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Nestle USA
 800 N. Brand Blvd
 Glendale, CA 91203
 Original Document

Authorization: 
 Quality Manager Troy Bauer Date

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestlé Avenue
 P.O. Box 168
 Eau Claire, WI 54702
 Tele. 715-839-9440
 Nestleusa.com



NestléHealthScience

Sample Analysis Report

Peptamen Junior Vanilla

Manufacture Date: July 19, 2016 Expiration Date: October 18, 2017

Batch Code: 6PJV4438

Case Code: 620157211D

| Analysis: | Results | Units |
|------------------------------|---------|--------|
| Coliform | | |
| Coliform @ 35C | <0.3 | /ml |
| Coliform @45C | Absence | /ml |
| Bacillus Cereus | <1 | /ml |
| Staphylococcus auerus | Absence | cfu/ml |
| Salmonella | Absence | /25g |

Peptamen Junior Vanilla Recipe Symbol ACEL020-04

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Batch 311857212B, recipe symbol ACEL033-02, was tested within the last three calendar years, and is in the same product family as recipe symbol ACEL020-04:

| Evaluation | Units | Maximum Limit /kg | Analytical Results /kg |
|--------------|-------|----------------------|---------------------------|
| Alfatoxin M1 | mg | 0.004 | <0.000005 |
| Arsenic | mg | 0.15 | 0.005 |
| Cadmium | mg | 0.07 | <0.002 |
| Lead | mg | 0.2 | <0.002 |
| Mercury | mg | 0.05 | 0.001 |


Recipe symbol ACEL033-02 contains fiber, inulin, and fructooligosaccharide; ACEL020-04 does not. The testing can therefore be considered the worst case scenario, as the product tested contained additional ingredients than the product received by Brazil.

Batch 506357211B, recipe symbol ACEL020-4, was tested.

| Evaluation | Units | Maximum Limit /kg | Analytical Results /kg |
|---------------|-------|----------------------|---------------------------|
| Alfatoxin B&G | mg | 0.001 | <0.000025 |

Nestlé USA
 800 N. Brand Blvd
 Glendale, CA 91203

Original Document

Authorization: 
 Quality Manager Troy Bauer Date