

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 Eau Claire, WI 54703
 Tele. (715) 839-9440
 www.nestleusa.com



CERTIFICATE OF ANALYSIS PEPTAMEN 1.5

Manufacture Date: December 11, 2016

Expiration Date: December 11, 2017

Batch Code: 6PPU5406

Case Code: 6346572115

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /100mL
				min	max	
Fat	g	Mojonnier	6	4.5	6.7	5.6
Protein	g	Kjeldahl	7	5.4	8.2	6.8
Total Solids	g/100g	Air Oven	29.5	28.4	30.2	-
Ash	g/100g	Furnace	1.00	-	-	-
Carbohydrate	g	Calculation	18	15	23	19
Calories	kcal	Calculation	152	122	184	153
Density	g/mL	Target 1.090	1.09	-	-	-
Calcium	mg	ICP - AES	113	80	120	100
Potassium	mg	ICP - AES	200	150	224	187
Sodium	mg	ICP - AES	110	82	124	103
Magnesium	mg	ICP - AES	41	32	48	40
Phosphorus	mg	ICP - AES	110	80	120	100
Chloride	mg	Potentiometric	185	140	210	175
Iron	mg	ICP - AES	3	2.4	3.6	3.0
Vitamin A (Retinol)	mcg	HPLC	158	124	221	130
Vitamin A (Beta-Carotene)	mcg	HPLC	~~	171	306	180
Vitamin C	mg	HPLC	142	50	188	45
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Nestle USA
 800 N. Brand Blvd
 Glendale, CA 91203
 Original Document

Authorization: Kim Aylesworth 01-10-17
 Quality Manager Kim Aylesworth Date

Nestlé Healthcare
 Nutrition, Inc.
 1200 Nestle Avenue
 P.O. Box 168
 Eau Claire, WI 54702
 Tele. 715-839-9440
 Nestleusa.com



Sample Analysis Report

PEPTAMEN 1.5

Manufacture Date: December 11, 2016 Expiration Date: December 11, 2017
 Batch Code: 6PPU5406
 Case Code: 6346572115

Analysis:	Results	Units
Coliform		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	
Bacillus Cereus	<1	/ml
Staphylococcus auerus	Absence	
Salmonella	Absence	

PEPTAMEN 1.5 UnflavoredRecipe Symbol ACEL029-02

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Batch 617157211B, recipe symbol ACEL030-02, was tested within the last three calendar years, and is in the same product family as recipe symbol ACEL029-02:

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.001	<0.0005
Arsenic	mg	0.04	<0.008
Cadmium	mg	0.02	<0.008
Lead	mg	0.02	<0.008
Mercury	mg	0.01	<0.004

Recipe symbol ACEL708 contains inulin, fructoligosaccharide, flavor and sweetener; ACEL029-02 does not. The testing can therefore be considered the worst case scenario, as the product tested contained additional ingredients than the product received by Brazil.

Batch 506657211B, recipe symbol ACEL029-02, was tested , and is in the same product family as recipe symbol ACEL029-02:

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin B&G	mg	0.001	<0.000025

Nestle USA
 800 N. Brand Blvd
 Glendale, CA 91203
 Original Document

Authorization: *Kim Aylesworth* 01-16-17
 Quality Manager Kim Aylesworth Date