

Certificate of Analysis

Product/ *Produto*: Resource Thicken Up Clear 12x125g BR
 Lot Code/ *Lote*: 7016428200
 Expiry Date/ *Validade*: 30.06.2018
 Manufacturing Date / *Fabricação*: 16.01.2017
 Art. No.: 12150146

Analysis Results

Parameter/ <i>Parâmetro</i>	Spec/ <i>Especificação</i>	Resultado	Result Unit / <i>Resultado</i>
Total Plater Count / <i>Contagem de placa (30°C)</i>	máx 10000 cfu/g	10	Complies/ <i>Conforme</i>
Salmonella spec	absent in/ <i>ausente em</i> 2x100g	absent in/ <i>ausente em</i> 2x100g	Complies/ <i>Conforme</i>
Enterobacteriaceae total	Absent in/ <i>ausente em</i> ≤10g	<10g	Complies/ <i>Conforme</i>
Moisture / <i>Umidade</i>	≤8,5%	7,18 %	Complies/ <i>Conforme</i>
Ash / <i>Cinzas</i>	≤3,5%	3,2 %	Complies/ <i>Conforme</i>
Sensoric test / <i>Teste sensorial</i>	Complies/ <i>Conforme</i>	Complies/ <i>Conforme</i>	Complies/ <i>Conforme</i>

Nestlé Health Science (Deutschland) GmbH
 Werk Osthofen
 Dr.-Wander-Strasse 11
 67574 Osthofen
 Germany

Date: 16.02.2017

Signed: 
 (Quality Management)

Certificate of Analysis

Product/ Produto: Resource Thicken Up Clear 12x125g BR
 Lot Code/ Lote: 7016428200
 Expiry Date/ Validade: 30.06.2018
 Manufacturing Date / Fabricação: 16.01.2017
 Art. No.: 12150146

Results of annual monitoring plan –
 The plan contaminant results were made on lot 5167428200:

Parameter/ Parâmetro	Result Unit	Specification/ Especificação	Resultado	
Heavy Metals:				
Arsenic (As)	[mg/kg]	max. 0,2	0,029	Complies / Conforme
Cadmium (Cd)	[mg/kg]	max. 0,1	<0,0023	Complies / Conforme
Lead (Pb)	[mg/kg]	max. 0,2	<0,0046	Complies / Conforme
Mercury (Hg)	[mg/kg]	max. 0,1	<0,007	Complies / Conforme

Mycotoxin Aflatoxin M1 is not applicable (product does not contain any kind of milk raw material)

This is to certify that this lot was analyzed and found acceptable for release by the Nestlé Health Science (Deutschland) GmbH - Quality Control Department.

Quality Department

15.02.2017

Nestlé Health Science (Deutschland) GmbH
 Werk Osthofen
 Dr.-Wander-Strasse 11
 67574 Osthofen
 Germany

Date: 16.02.2017

Signed: 
 (Quality Management)