

Nestlé Healthcare  
 Nutrition, Inc.  
 1200 Nestle Avenue  
 Eau Claire, WI 54703  
 Tele. (715) 839-9440  
 www.nestleusa.com



**CERTIFICATE OF ANALYSIS**  
**PEPTAMEN AF**

Manufacture Date: July 19, 2017

Expiration Date: July 19, 2018

Batch Code: 7P2U4356

Case Code: 7200572115

Evaluation	Units	Method	Analytical Result	Release Specifications		Label /1000mL
				min	max	
Fat	g	Mojonnier	53.5	44.0	66.0	55
Protein	g	Kjeldahl	79	60.8	91.2	76
Total Solids	g/100g	Air Oven	24.40	23.4	24.8	-
Total Ash	g/100g	Furnace	0.81	-	-	-
Carbohydrate	g	Calculation	119.6	88.0	132.0	110
Calories	kcal	Calculation	1271	992	1488	1240
Density	g/mL	Target 1.068 g/mL	1.07	-	-	-
Calcium	mg	ICP - AES	908	640	960	800
Potassium	mg	ICP - AES	1634	1280	1920	1600
Sodium	mg	ICP - AES	925	640	960	800
Magnesium	mg	ICP - AES	336	256	384	320
Phosphorus	mg	ICP - AES	876	640	960	800
Chloride	mg	Potentiometric	1474	1088	1632	1360
Iron	mg	ICP - AES	17.1	12.8	19.2	16
Vitamin A (Retinol)	IU	HPLC	807	488	976	610
Total Vitamin A	IU	HPLC	807	488	976	610
Vitamin C	mg	HPLC	1100	336	1260	420
Organoleptic, Appearance, Flavor, Aroma	-	Visual / Sensory	Approved	Not significantly different than reference		-
Microbiological	-	Incubation 30 C, 42 C & 55 C- (Plate count streak / pH)	Conform	Meets Nestec Sterility Assessment Release Norm		-

~~ The label claim for Vitamin A in this product is a combination of Vitamin A Retinol and Beta Carotene, referred to as Total Vitamin A. Vitamin A Retinol is tested on every batch of finished product; whereas, Beta Carotene is periodically tested. Therefore, release norms have been established for Total Vitamin A, as well as for Vitamin A Retinol and Beta Carotene separately. During routine testing of finished product, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm. During periodic testing, the Vitamin A Retinol result is compared to the Vitamin A Retinol release norm, the Beta Carotene result is compared to the Beta Carotene release norm, and the Retinol and Beta Carotene results are combined and compared to the Total Vitamin A release norm.

Nestle USA  
 8000 Grand Blvd  
 Glendale, CA 91203  
 \*Original Document\*

Authorization: Kim Aylesworth 09-01-17  
 Quality Manager Kim Aylesworth Date

Nestlé Healthcare  
Nutrition, Inc.  
1200 Nestle Avenue  
Eau Claire, WI 54703  
Tele. (715) 839-9440  
www.nestleusa.com



## CERTIFICATE OF ANALYSIS

### PEPTAMEN AF

Manufacture Date: July 19, 2017

Expiration Date: July 19, 2018

Batch Code: 7P2U4356

Case Code: 7200572115

Evaluation	Units	Maximum Limit /100g	Analytical Results /100g
Absence of Insect Fragment	100g *	Absent	Conform
Absence of rodent pile	100g *	Absent	Conform
5 mite	100g *	5	Conform
Insoluble Sand / Ash in HCl	%	1.5	<0.81 **

\* 500g of product is tested to conform absence of foreign material

\*\* Based on measure of Total Ash

Nestle USA  
800 N. Brand Blvd  
Glendale, CA 91203  
**\*Original Document\***

Authorization: Kim Aylesworth 09-01-17  
Quality Manager Kim Aylesworth Date

Nestlé Healthcare Nutrition,  
 Inc.  
 1200 Nestle Avenue  
 P.O. Box 168  
 Eau Claire, WI 54702  
 Tele. 715-839-9440  
 Nestleusa.com



## Sample Analysis Report

### Peptamen AF

Manufacture Date: July 19, 2017      Expiration Date: July 19, 2018

Batch Code: 7P2U4356

Case Code: 7200572115

Analysis:	Results	Units
<b>Coliform</b>		
Coliform @ 35C	<0.3	/ml
Coliform @45C	Absence	/ml
<b>Bacillus Cereus</b>	<1	/ml
<b>Staphylococcus auerus</b>	Absence	cfu/ml
<b>Salmonella</b>	Absence	/25g

#### PEPTAMEN AF SpkeRht + ULRPRcipe Symbol ACEL036-01

For the purpose of contaminant monitoring, products are grouped into families by recipes which have similar ingredients, ingredient usage rates and nutrient profiles. Each product family is tested for contaminants once over three calendar years.

Batch 7151572125, recipe symbol ACEL702-1 was tested within the last three calendar years:

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin M1	mg	0.004	<0.0005
Arsenic	mg	0.15	<0.002
Cadmium	mg	0.07	<0.002
Lead	mg	0.2	<0.002
Mercury	mg	0.05	<0.001

Batch 5120572115, recipe symbol ACEL036-01 was tested within the last three calendar years:

Evaluation	Units	Maximum Limit /kg	Analytical Results /kg
Alfatoxin B&G	mg	0.001	<0.000025

Nestlé USA  
 675 N. Grand Blvd  
 Columbus, IA 50203  
 "Original Document"

Authorization: Kim Aylesworth 09-01-17  
 Quality Manager Kim Aylesworth      Date