

Certificate of Analysis

Product / Produto: Resource Thicken Up Clear 12x125g BR
 Lot Code / Lote: 7256428200
 Expiry Date / Validade: 28.02.2019
 Manufacturing Date / Fabricação: 13.09.2017
 Art. No.: 12150146

Results declared in the certificate of analyses were obtained in the last produced batch that went through monitoring protocol.

Parameter / Parâmetro	Result Unit	Specification / Especificação	Resultado	
Heavy Metals:				
Arsenic (As)	[mg/kg]	máx. 0,19	<0,02	Complies / Conforme
Cadmium (Cd)	[mg/kg]	máx. 0,064	<0,005	Complies / Conforme
Lead (Pb)	[mg/kg]	máx. 0,13	<0,01	Complies / Conforme
Aflatoxin B+G	[µg/kg]	máx. 3,2	<0,25	Complies / Conforme
Ochratoxine A	[µg/kg]	máx. 6,4	<0,20	Complies / Conforme
Deoxynivalenol	[µg/kg]	máx. 641	<250	Complies / Conforme
Fumonisin	[µg/kg]	máx. 641	<50	Complies / Conforme
Zeralenone	[µg/kg]	máx. 96	<25	Complies / Conforme
Absence of insect fragments	[per 100g]	absence	absent	Complies / Conforme
Absence of rodent piles	[per 100g]	absence	absent	Complies / Conforme
Mites	[per 100g]	máx. 5	absent	Complies / Conforme
Ash insoluble in hydrochloric acid	[g/100g]	máx. 1,5	<0,05	Complies / Conforme

Mycotoxin Aflatoxin M1 is not applicable (product does not contain any kind of milk raw material)

This is to certify that this lot was analyzed and found acceptable for release by the Nestlé Health Science (Deutschland) GmbH - Quality Control Department.

Quality Department

Nestlé Health Science (Deutschland) GmbH
 Werk Osthofen
 Dr.-Wander-Strasse 11
 67574 Osthofen
 Germany

Date: 26.10.2017

Signed: [Signature]
 (Quality Management)

Certificate of Analysis

Shipment identification / Identificação do envio

Sales order / Ordem de venda: 322492851
 Purchase order / Ordem de compra: LDP5872438

Product / Produto: Resource Thicken Up Clear 12x125g BR
 Lot Code / Lote: 7256428200
 Expiry Date / Validade: 28.02.2019
 Manufacturing Date / Fabricação: 13.09.2017
 Art. No.: 12150146

Analysis Results

Parameter / Parâmetro	Specification / Especificação	Result / Resultado	
Total Plate Count / Contagem de placa (30°C)	máx 5.000 cfu/g	10 cfu/g	Complies / Conforme
Salmonella spec	absent in / ausente em 1x25g	absent in / ausente em 4x100g	Complies / Conforme
Enterobacteriaceae (incl. Coliformes) MPN-method	máx. 50 MPN/g	0,29 MPN/g	Complies / Conforme
Bacillus cereus	máx. 1000 cfu/g	10 cfu/g	Complies / Conforme
Staph. aureus	máx 100 cfu/g	10 cfu/g	Complies / Conforme
Moisture / Umidade	≤8,5%	7,24 %	Complies / Conforme
Ash / Cinzas	≤3,5%	3,15 %	Complies / Conforme
Sensoric test / Teste sensorial	Complies / Conforme	Complies / Conforme	

Nestlé Health Science (Deutschland) GmbH
 Werk Osthofen
 Dr.-Wander-Strasse 11
 67574 Osthofen
 Germany

Date: 26.10.2017

Signed: [Signature]
 (Quality Management)